Technical Publications

Document Number: DOC1552538 Revision: 3

Centricity^{*} Clinical Gateway Version 9.3.8

Integrating the Healthcare Enterprise (IHE) Integration Statement

* Trademark of General Electric Company Copyright© 2017 by General Electric Company This page is intentionally left blank

INTRODUCTION

OVERVIEW

This IHE Integration Statement describes the intended conformance of this GE product with the IHE Technical Framework. The IHE Technical Framework defines a subset of the functional components of the healthcare enterprise, called IHE Actors, and specifies their interactions in terms of a set of coordinated, standards-based transactions. These transactions are organized into functional units called Integration Profiles that highlight their capacity to address specific clinical needs.

Users familiar with these concepts can use Integration Statements as an aid to determine what level of integration this product supports with other systems and what clinical and operational benefits such integration might provide.

Other GE Integration Statements as well as further information on IHE may be found on Internet at: **<u>ge.com/ihe</u>**

IMPORTANT REMARKS

The use of these IHE Integration Statements, by itself, it is not sufficient to ensure that inter-operation will be successful. The user needs to proceed with caution and ensure that a qualified systems' integration (such as that provided by GE's IT Professional Services) address at least four issues:

- Integration The integration of any system into an integrated department or enterprise requires an analysis of the applications requirements. The design of a solution that integrates GE systems with non–GE systems is the user's responsibility and should not be underestimated. Special care should be exercised in defining the expected workflow, the special conditions, and the clinical practice to be supported to ensure a safe and effective operation.
- Validation Testing the complete range of possible interactions between any GE system and non–GE system, before the integration is declared operational, should not be overlooked. Therefore, the user should ensure that any non–GE provider accepts full responsibility for all validation required for their connection with GE systems. This includes the accuracy of the data once it has crossed the interface and the stability of the data for the intended applications. Such a validation is required before any clinical use (diagnosis and/or treatment) is performed.
- Future Evolution GE understands that the IHE Technical Framework and the underlying communication standards will evolve to meet the user's growing requirements. GE is actively involved in the development of the IHE Technical Framework and the underlying standards. Such evolutions may require changes to already installed systems. In addition, GE reserves the right to discontinue or make changes to product features including those reflected by this IHE Integration Statement. The user should ensure that any non–GE system that connects with GE systems also plans for the future evolution of IHE. Failure to do so will likely result in the loss of function and/or connectivity as the IHE Integration profiles evolve and GE Products are enhanced to support these changes.

IHE INTEGRATION STATEMENT

| General Electric - IHE Integration Statement | | | Date | | |
|--|-----------------|--|--|-----------------|--|
| Ceneral Electric Internegration Statement | | | | 13 Nov 2017 | |
| Vend | or | Product Name | | Version | |
| GE Healt | hcare | Centricity Clinical Gateway | V9.3.8 | | |
| This product impler Profiles, Actors and | | ons required in the IHE Technical Framework low: | to support the | IHE Integration | |
| Integration Profiles Implemented | | Actors Implemented | Options Implemented | | |
| Audit Trail and Node Authentication (ATNA) | | Secure Application | None | | |
| Consistent Time (CT) | | Time Client | None | | |
| Patient Identifier Cross-referencing for MPI (PIX) | | Patient Identifier Cross-reference Consumer | None | | |
| Basic Patient Privacy Consents (BPPC) | | Content Creator | None | | |
| Cross-Enterprise Document Sharing (XDS) | | Document Source | Document Replacement | | |
| | | | Document Addendum | | |
| Cross-Enterprise Document Sharing for Imaging (XDS-I.b) | | Imaging Document Source | CDA Imaging Report with Structured Headings | | |
| | | | CDA Wrapped Text Report | | |
| | | | PDF Report | | |
| Internet address | for GE Healthc | are IHE information: ge.com/ihe | | | |
| Li | inks to Standar | ds Conformance Statements for the In | nplementatior | 1 | |
| HL7 | Not applicable | | | | |
| DICOM | Not applicable | | | | |
| | | Links to general information on IHE | | | |
| | | IHE International www.ihe.net | | | |

This page is intentionally left blank



gehealthcare.com

Corporate Headquarters

GE Healthcare 500 W. Monroe Street Chicago, IL 60661 USA

European Headquarters

GE Medical Systems SCS 283 rue de la Minière 78530 BUC, France

Asia Headquarters GE Healthcare 1 BLD-3F No. 1 Hua Tuo Road Zhang Jiang Hi-Tech Park Shanghai 201203 China